

Body Count

the True Number of Vaccine Deaths

By Craig Paardekooper

40% increase in all-cause-mortality for the entire population in USA in 2021

Several sources, including life insurance companies, report a 40% increase in all-cause mortality in the USA occurring in 2021 compared to 2020.

This figure is based on looking at the entire population (vaccinated and unvaccinated) as a whole - so if the vaccine is causing the increased mortality, its effect will be diluted by the unchanged mortality of the unvaccinated.

[\(WATCH\) Steve Kirsch Says Whistleblower Revealed Never-Before-Seen All-Cause Mortality Medicare Data After COVID-19 Jab Rollout \(welovetrump.com\)](#)

See also References

100% increase in all-cause mortality amongst the vaccinated population

ONS figures show that for each age group of vaccine recipients there is a consistent doubling of all-cause mortality within 3 weeks of taking the vaccine.

The reason why the increase is 100% here is because we are only looking at the vaccinated populations.

[COVID-19, Non-COVID-19, and All-Cause Deaths among Vaccinated, by Week Post Vaccination \(substack.com\)](#)

100% increase in all-cause-mortality = extra 723.6 deaths per 100,000 population in the USA

In 2018, prior to this increase, the all- cause-mortality rate amongst the entire population was 723.6 deaths per 100,000 population.


[Death rates for all causes U.S. 1950-2018 | Statista](#)

100% increase in all-cause mortality rate = $2 \times 723.6 = 1447.2$ deaths per 100,000 population.

All-Cause Deaths among Vaccinated By Week Post Vaccination



UK ONS, England, Collected January 2021 - March 31 2022




Source : [COVID-19, Non-COVID-19, and All-Cause Deaths among Vaccinated, by Week Post Vaccination \(substack.com\)](https://substack.com)

As you can see, the number of all cause deaths amongst the vaccinated doubled within 3 weeks FOR ALL AGE GROUPS.

Non-COVID-19 Deaths among Vaccinated By Week Post Vaccination

UK ONS, England, Collected January 2021 - March 31 2022



Source : [COVID-19, Non-COVID-19, and All-Cause Deaths among Vaccinated, by Week Post Vaccination \(substack.com\)](https://substack.com)

Vaccination Body Count

The change in all-cause mortality following vaccination (shown by the ONS data) indicates that the vaccine is the cause.

The higher rate of all-cause mortality when the vaccinated are looked at separately from the unvaccinated, indicates that the vaccine is the cause.

1 : Number of vaccinated

USA has a population of 330 million, of which 78% have received at least 1 dose of the vaccine
 $0.78 \times 330 \text{ million} = 257.4 \text{ million vaccinated}$

2 : Vaccine Body Count

The vaccine doubles all-cause mortality from 723.6 to 1447.2 deaths per 100,000

So vaccination produces an extra 723.6 deaths per 100,000

Deaths due to vaccine = $257.4 \text{ million} \times 723.6/100000 = 1,862,546$ deaths in the USA

3 : Risk of Vaccine Death

If there are 1,862,546 deaths from vaccinating 257.4 million people, then the risk of death from vaccination is 1 in 140 or 0.71%. So with class-room sizes of 30 pupils, there will be 1 death in every 5 classrooms approximately.

1 death per 140 people vaccinated.

4 : Cause of Death

As you can see from the graphs, the all-cause mortality remains high even when we only count non-covid deaths. This suggests that the vaccine is causing a wide range of illnesses. The most prominent illnesses are

- heart attack
- clotting
- bleeding
- viral infection
- kidney failure
- respiratory distress

There is a sharp increase in the incidence of all of these illnesses following vaccination, as reported in VAERS, DMED, MEDICARE, YELLOWCARD, EUDRAVIGILANCE and MEDICARE databases.

4 : Under Reporting Factor in VAERS

VAERS records 29,981 Covid vaccine deaths - ([Home - OpenVAERS](#)) If the true figure is 1,862,546 deaths, then the under reporting factor is

$$1,862,546 / 29,981 = 62$$

5 : Risk of Serious Adverse Reaction

This is the incidence of serious adverse events that includes cardiac arrest, tachycardia, arrhythmia, myocarditis, pericarditis, clots, excessive bleeding, thrombocytopenia, increased infections, etc.

I looked at the Pfizer EN series of vaccines in VAERS USA until 26th November 2021 and counted 6564 serious adverse reactions.

Based on an under reporting factor of 62, the true count is 62×6564 . A total of 35,257,755 doses were shipped for Pfizer EN series.

Consequently, the estimated % of doses producing a serious adverse reaction =

$$62 \times 6564 / 35,257,755 * 100 = 1.1\% = 1 \text{ in } 87$$

So, there will be 1 serious adverse reaction in every 87 classrooms of 30 children vaccinated.

6. Keeping Adverse Events Below the Radar of Human Perception

If the intention of the government is to harm, then the rate of serious damage must be kept low enough for it to slip beneath the radar of human perception. In science a 5% level is typically taken as the limit separating random chance from causation.

So a 1.1% serious adverse event rate would maximise adversity whilst maintaining plausible deniability.

(Apology: Previously I calculated the all-cause mortality for the vaccinated as 1447.2 deaths per 100,000, which is correct, but then forgot to subtract the pre-vaccinated all-cause mortality rate which is 723.6 deaths per 100,000 - as pointed out by EAGLE. This has now been corrected.)

References

[There was an unexpected 40% increase in 'all cause deaths' in 2021 - \(kusi.com\)](#)

[Sharp increases in all-cause mortality in Q3 and Q4 of 2021 in Cyprus! \(substack.com\)](#)

[Unprecedented: Deaths in Indiana for ages 18-64 are up 40% \(substack.com\)](#)

[Board member of large German insurance company blows the whistle on COVID vaccines \(substack.com\)](#)

[Shocking New Data On All Cause Mortality: Corona Investigative Committee - Steve Kirsch \[VIDEO INTERVIEW\] \(redvoicemedia.com\)](#)

[Vaccine-Induced Mortality, Part 9: Health Insurer Confirmation \(substack.com\)](#)